

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>7</sup> : H01L 51/20, 51/30, C09K 11/06		A1	(11) International Publication Number: <b>WO 00/55927</b> (43) International Publication Date: 21 September 2000 (21.09.00)
(21) International Application Number: PCT/GB00/00911 (22) International Filing Date: 13 March 2000 (13.03.00) (30) Priority Data: PCT/GB99/00741 12 March 1999 (12.03.99) GB (71) Applicant (for all designated States except US): CAMBRIDGE DISPLAY TECHNOLOGY LIMITED [GB/GB]; 181a Huntingdon Road, Cambridge CB3 0DJ (GB). (72) Inventors; and (75) Inventors/Applicants (for US only): TOWNS, Carl, Robert [GB/GB]; 193 Silver Street, Crown Cottage, Mountfitchet, Stansted, Essex CM24 8HB (GB). O'DELL, Richard [GB/GB]; 53 Bearton Green, Hitchin, Herts SG5 1UL (GB). O'CONNOR, Stephen, John, Martin [GB/GB]; 21 Glebe Road, Cambridge CB1 7TF (GB). (74) Agents: DANIELS, Jeffrey, Nicholas et al.; Page White & Farrer, 54 Doughty Street, London WC1N 2LS (GB).			(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  Published With international search report.
(54) Title: POLYMERS, THEIR PREPARATION AND USES			
(57) Abstract  An organic polymer having a plurality of regions along the length of the polymer backbone and comprising two or more of the following a first region for transporting negative charge carriers and having a first bandgap defined by a first LUMO level and a first HOMO level; and a second region for transporting positive charge carriers and having a second bandgap defined by a second LUMO level and a second HOMO level; and a third region for accepting and combining positive and negative charge carriers to generate light and having a third bandgap defined by a third LUMO level and a third HOMO level, wherein each region comprises one or more monomers and the quantity and arrangement of the monomers in the organic polymer is selected so that the first, second and third bandgaps are distinct from one another in the polymer.			

0093235-03420